

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/708,308	02/24/2004	David Selvitelli	022956-0262	2307
21125 75	590 10/11/2006		EXAMINER	
NUTTER MCCLENNEN & FISH LLP WORLD TRADE CENTER WEST 155 SEAPORT BOULEVARD			DAWSON, GLENN K	
			ART UNIT	PAPER NUMBER
BOSTON, MA	BOSTON, MA 02210-2604			
			DATE MAILED: 10/11/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Summer.	10/708,308	SELVITELLI ET AL.			
Office Action Summary	Examiner	Art Unit			
	Glenn K. Dawson	3731			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1)⊠ Responsive to communication(s) filed on 27 Fe	bruary 2004				
,	,				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-37</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-24 and 26-37</u> is/are rejected.					
7)⊠ Claim(s) <u>25</u> is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examiner	•				
10) ☐ The drawing(s) filed on <u>24 February 2004</u> is/are: a) ☐ accepted or b) ☑ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
	•				
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)					
1) 🔀 Notice of References Cited (PTO-892) 4) 🔲 Interview Summary (PTO-413) Paper No(s)/Mail Date					
3) Information Disclosure Statement(s) (PTO/SB/08)	5) 🔲 Notice of Informal P				
Paper No(s)/Mail Date 6) Uther:					

Art Unit: 3731

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 3-15,20,27,36 and 37 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 3, it is unclear if two more suture lengths re being claimed in addition to those already recited in claim 1.

In claim 7, there is no clear antecedent basis for "the suture loop" as many have been claimed. This problem is prevalent in the set of claims and all the claims should be examined for this problem and corrected.

In claim 36 and 37, there is no clear antecedent basis for "the suture length", as more than one have been claimed.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Application/Control Number: 10/708,308

Art Unit: 3731

Claims 1-7,10,12-16,18-20,23,24,26,27,30,32,33 and 36 are rejected under 35 U.S.C. 102(e) as being anticipated by Bojarski, et al.-2004/0153074.

Bojarsky discloses a suture anchoring system having two suture anchors, lengths of suture attached to the anchors by suture loops, and a suture length between the two suture lengths connecting together the suture lengths to adjust the distance between the suture anchors. See fig. 4 and 20. Slipknots 54,1850 and 1854 are also disclosed to adjust distance and tension. The anchors are used to attach tissue to anchoring tissue.

Claims 1-4,6-8,10,12-14,16-24 and 26-37 are rejected under 35 U.S.C. 102(b) as being anticipated by Sikora, et al.-2002/0019649.

Sikora discloses a suture anchoring system having two suture anchors, lengths of suture attached to the anchors by suture loops, and a suture length between the two suture lengths connecting together the suture lengths to adjust the distance between the suture anchors. See fig. 13,14b,15 and 32. Slipknots 230,268 and 1606 are also disclosed to adjust distance and tension. The anchors are used to attach tissue to anchoring tissue, including meniscus.

For each of the art rejections, it should be noted that claiming lengths or portions of a suture is consistent with a single piece of suture. One length could simply be integrally attached to another length of suture.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the sutures being

Art Unit: 3731

fixedly attached to the anchors must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

Claim 25 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/708,308

Art Unit: 3731

Page 5

Claims 9 and 11 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Glenn K. Dawson whose telephone number is 571-272-4694. The examiner can normally be reached on M-Th 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan T. Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Glenn K Dawson Primary Examiner Art Unit 3731 Application/Control Number: 10/708,308

Art Unit: 3731

Page 6

Gkd

01 October 2006